
PROFAB Stitch Pro

PRODUCT DESCRIPTION

PROFAB STITCH PRO

PROFAB Stitch Pro Features:

The powerful 60 kVA transformer guarantees an air-tight weld seam.


User-friendly touchscreen for quick and easy product recipe management.

Copper wire as an intermediate conductant minimizes wear of the weld wheels.

Comes with a clear instruction manual for a plug-and-play start-up.

Designed against the strict European CE safety regulations.

- Fully automated PLC touch screen makes setup and repeatability a snap
- Easy adjustment of weld points, backstop, and material recipes allows for quick change over times
- Produce air-tight fittings requiring no sealant, saving time and money
- Chiller included ensuring hours of trouble-free operation
- Energy consumption is 2/3 less than competitor's stitch welders



Specifications:

- Roll Diameter: 3" to 40"
- Speed: Adjustable 7 - 49 feet per minute
- Material Thickness: 20ga. through 30ga. mild or stainless steel

1

PRODUCT DESCRIPTION

PROFAB STITCH PRO

PROFAB Stitch Pro Features:

The powerful 60 kVA transformer guarantees an air-tight weld seam.
User-friendly touchscreen for quick and easy product recipe management.
Copper wire as an intermediate conductant minimizes wear of the weld wheels.
Comes with a clear instruction manual for a plug-and-play start-up.
Designed against the strict European CE safety regulations.

- Fully automated PLC touch screen makes setup and repeatability a snap
- Easy adjustment of weld points, backstop, and material recipes allows for quick change over times
 - Produce air-tight fittings requiring no sealant, saving time and money
 - Chiller included ensuring hours of trouble-free operation
 - Energy consumption is 2/3 less than competitor's stitch welders

Specifications:

- Roll Diameter: 3" to 40"

- Speed: Adjustable 7 - 49 feet per minute
- Material Thickness: 20ga. through 30ga. mild or stainless steel



800-231-8040
productionproducts.net